

2024 MBT Detailed Efficiency

Lot #	DMI	ADG	ADG Ratio	GS FCR	GS Subgroup	DMlepd	RFlepd	RFI	EFF Ratio
1	27.7	3.62	102.55	7.65	A1	0.28	0.1445	-0.99	103.27
4	30.1	3.95	111.9	7.63	A1	-0.0551	-0.0913	-1.32	106.64
5	32.1	3.97	112.46	8.09	A1	0.571	0.4243	2.6	98.07
7	27.9	2.84	80.45	9.82	A1	0.1852	0.2935	2.62	87.56
9	28.4	3.73	105.67	7.61	A1	0.2557	0.0749	0.49	100.49
10	29.3	5	141.64	5.85	A1	0.2601	-0.1262	-3.7	121.34
12	23.7	2.31	65.44	10.27	A1	-0.4277	-0.2603	-0.6	91.4
13	22.6	2.54	71.95	8.9	A1	-0.1587	-0.1443	-0.93	94.47
14	29.3	4.08	115.58	7.18	A1	-0.0926	-0.1508	-1.68	108.69
15	33.6	4.08	115.58	8.24	A1	0.3351	0.2225	2.14	100.22
16	35.7	3.9	110.48	9.15	A1	0.6217	0.4992	5.86	91.64
17	34.2	5.05	143.06	6.77	A1	0.1918	0.0022	0.15	112.61
18	28.1	3.97	112.46	7.07	A1	0.183	0.1194	0.04	103.64
19	27.3	4.5	127.48	6.06	A1	0.0044	-0.1877	-3.26	116.61
20	28	2.82	79.89	9.93	A1	0.1279	0.193	2.71	87.19
21	30.2	3.53	100	8.55	A1	0.0265	0.054	1.94	95.5
22	32.7	4.19	118.7	7.79	A1	0.1213	-0.0118	2.29	100.7
25	27.2	3.13	88.67	8.68	A1	-0.1168	-0.0228	-0.15	96.99
27	30.1	4.48	126.91	6.71	A1	0.463	0.1645	-0.95	110.29
28	28.2	4.48	126.91	6.3	A1	0.2888	0.0076	-2.51	114.3
29	23.5	3.7	104.82	6.36	A1	-0.1653	-0.2356	-4.28	114.18
31	26.9	3.7	104.82	7.28	A1	0.086	0.0862	-1.7	105.87
32	29.5	4.03	114.16	7.33	A1	0.6173	0.4593	-0.33	105.03
34	26.7	2.84	80.45	9.39	A1	0.0705	0.1795	0.66	92.4
35	26.4	3.35	94.9	7.87	A1	0.2734	0.2679	-0.57	99.98
36	27.6	4.14	117.28	6.67	A1	0.3505	0.2291	-1.96	110.16
38	32.5	4.32	122.38	7.51	A1	0.0463	-0.052	1.34	103.82
41	29.6	3.64	103.12	8.13	A1	0.4167	0.2323	1.87	96.51
45	31.1	4.17	118.13	7.45	A1	0.1433	0.0689	-0.11	105.69
46	29.1	4.08	115.58	7.12	A1	0.2712	0.1732	-0.4	105.64
50	31.4	4.12	104.3	7.63	A2	0.5335	0.3057	0.53	100.11
52	28.2	4.39	112.28	6.42	A3	0.0639	-0.0266	-2.16	109.04
53	29	3.37	86.19	8.59	A3	0.097	-0.0257	-2.34	101.51
54	33.4	4.5	115.09	7.43	A3	0.3527	0.2375	1.39	101.62
55	30.5	4.12	105.37	7.4	A3	0.4475	0.332	0.13	101.31
56	28	3.46	88.49	8.1	A3	-0.0728	-0.1502	-0.82	98.59
57	35.5	3.48	89	10.21	A3	0.7738	0.5578	6.7	83.5
58	32	3.77	95.44	8.5	A2	0.2138	0.1297	5.09	87.51
59	32.1	3.51	88.86	9.13	A2	0.0772	0.0186	6.48	82.51
60	31.1	4.28	108.35	7.26	A2	-0.3042	-0.3138	-1.68	106.29
62	29.2	3.92	99.24	7.44	A2	-0.3858	-0.3638	-2.36	105.44

2024 MBT Detailed Efficiency

Lot #	DMI	ADG	ADG Ratio	GS FCR	GS Subgroup	DMlepd	RFlepd	RFI	EFF Ratio
63	28.3	3.4	86.08	8.33	A2	-0.0926	-0.0092	0.02	95.77
66	32.3	4.45	113.81	7.26	A3	0.4145	0.331	0.35	103.38
69	25.9	3.66	92.66	7.08	A2	0.1698	0.1668	-2.38	104.23
70	31.5	5.16	130.63	6.1	A2	-0.5423	-0.6002	-1.12	111.68
71	30.1	3.88	98.23	7.75	A2	0.2712	0.243	2.25	94.23
72	29.8	4.59	116.2	6.5	A2	0.2822	0.2038	0.97	102.58
78	22.2	3.46	87.59	6.42	A2	-0.205	-0.2077	-4.52	110.53
80	31	3.42	96.88	9.07	A1	-0.0904	-0.0953	1.83	94.94
81	34.1	4.39	124.36	7.77	A1	-0.0154	-0.1734	-0.18	107.68
83	36.4	3.88	109.92	9.37	A1	0.8488	0.7902	7.74	88.07
87	30	3.33	94.33	9.01	A1	0.4233	0.1584	0.57	96.97
88	29.3	3.62	102.55	8.09	A1	-0.0882	-0.1347	-1.37	104.04
90	33.4	4.14	117.28	8.07	A1	0.6173	0.245	1.3	102.46
91	33.6	4.14	117.28	8.12	A1	0.4255	0.332	3.04	98.85
92	27.5	2.62	74.22	10.5	A1	0.075	0.2066	2.78	85.19
93	27.1	3.79	107.37	7.16	A1	-0.0948	-0.175	-3.15	110.33
100	31.6	4.89	123.8	6.45	A2	0.1653	0.0044	-1.1	109.58
101	32.5	4.78	121.01	6.8	A2	0.3836	0.2688	-0.18	106.69
102	36.3	3.92	99.24	9.26	A2	0.84	0.709	7.85	84.63
103	30.6	4.56	115.44	6.71	A2	0.3064	0.1614	0.53	103.42
104	27.8	3.81	96.46	7.29	A2	0.2006	0.1584	-0.2	99.44
105	25.7	3.79	95.95	6.79	A2	-0.3571	-0.2517	-3.73	108.93
106	30.7	4.32	109.37	7.1	A2	0.1786	0.1596	0.22	102.31
107	32.4	4.7	118.99	6.9	A2	0.3373	0.2624	1.21	103.08
108	27.4	4.23	107.09	6.48	A2	-0.2028	-0.1504	-3.2	110.3
110	28.6	3.62	91.65	7.91	A2	0.2381	0.2289	-0.11	97.76
112	30.3	3.97	100.51	7.64	A2	0.1698	0.0416	-1.5	103.61
113	28.3	3.55	89.87	7.97	A2	0.0507	-0.023	0.93	94.66
115	26.9	3.02	76.46	8.92	A2	0.1058	0.178	0.71	91.09
116	28.8	4.1	103.8	7.02	A2	0.1962	0.1098	0.71	99.41
117	25.9	3.22	81.52	8.04	A2	-0.1587	-0.192	-0.51	95.83
118	26.9	3.33	84.3	8.09	A2	0.2844	0.2279	-0.11	95.58
119	25.8	3.62	91.65	7.12	A2	0.1301	0.0356	-1.68	102.05
120	24.5	2.62	66.33	9.37	A2	0.0353	0.0626	-0.97	92.67
122	24.6	3.44	87.09	7.14	A2	0.0287	0.0009	-2.73	103.91
123	26.7	4.03	102.03	6.63	A2	-0.2447	-0.2713	-4.7	112.92
126	30.1	4.56	115.44	6.6	A2	0.0419	-0.0939	-1.39	107.87
127	25.1	3.09	78.23	8.12	A2	-0.2161	-0.1523	-2.87	101.48
128	30.9	3.57	90.38	8.65	A2	0.0794	0.1114	1.06	94.71
129	26.3	3.42	86.58	7.7	A2	-0.0022	0.0385	-0.62	97.62
130	24.9	3.15	79.75	7.91	A2	-0.1058	-0.0231	-1.96	99.43

2024 MBT Detailed Efficiency

Lot #	DMI	ADG	ADG Ratio	GS FCR	GS Subgroup	DMlepd	RFlepd	RFI	EFF Ratio
131	30.6	4.19	106.08	7.3	A2	0.4189	0.2849	1.9	97.48
132	30.2	4.39	111.14	6.89	A2	0.4916	0.353	0.15	102.99
135	24.9	3.35	84.81	7.44	A2	0.2976	0.2999	-0.15	95.86
136	31.5	4.45	112.66	7.08	A2	0.6437	0.4937	1.57	100.31
137	30.3	3.92	99.24	7.74	A2	0.3439	0.3015	0.71	98.13
138	30	4.85	122.78	6.19	A2	0.269	0.1032	-0.15	107.19
139	30.8	3.92	99.24	7.84	A2	0.291	0.2179	1.37	96.65
141	25.6	3.97	100.51	6.46	A2	0.1631	0.1583	-1.08	103.1
142	22.1	3.42	86.58	6.45	A2	-0.0375	0.0314	-3.09	105.78
143	28.5	3.26	82.53	8.75	A2	0.1455	0.1275	0.84	92.7
144	33	4.06	102.78	8.12	A2	0.5181	0.4761	4.89	90.45
145	29	3.84	97.22	7.56	A2	-0.1058	-0.0719	0.24	98.59
146	27.2	4.59	116.2	5.93	A2	0.2557	0.1283	-1.12	107.74
147	23.3	2.73	69.11	8.53	A2	0.086	-0.0561	-2.25	97.49
148	26	2.84	71.9	9.14	A2	0.0728	-0.0565	-0.77	93.65
150	30.8	3.62	91.65	8.52	A2	-0.2756	-0.2865	-1.57	101.06
151	39.1	4.34	109.87	9.01	A2	0.5423	0.4171	5.18	93.69
152	30.9	3.26	82.53	9.48	A2	0.2293	0.2498	2.12	89.96
153	34.8	5.03	127.34	6.91	A2	0.3395	0.1522	1.9	104.38
154	33.9	4.14	104.81	8.19	A2	-0.0661	-0.1061	2.38	96.53
155	35.5	5.05	127.85	7.03	A2	0.2138	0.0681	2.6	103.23
156	30.2	4.03	102.03	7.49	A2	0.1874	0.1492	1.76	96.53
157	34.2	3.7	93.67	9.23	A2	0.3549	0.2908	4.23	89.43
158	26.1	3.46	87.59	7.54	A2	0.0397	0.0735	1.06	93.43
159	31.9	4.5	113.92	7.09	A2	0.3219	0.2313	2.23	99.28
160	25.8	3.33	84.3	7.74	A2	-0.2491	-0.2124	0.37	94.29
161	24.5	3.68	93.16	6.66	A2	-0.0463	-0.0705	-2.71	105.69
162	27.7	3.92	99.24	7.05	A2	0.1565	0.1264	0.11	99.49
163	32	4.83	122.28	6.62	A2	0.0441	-0.0894	-2.14	111.37
164	35.6	4.59	116.2	7.76	A2	0.4718	0.3892	3.06	98.85
165	30.9	3.99	101.01	7.75	A2	0.0948	0.1103	2.12	95.51
166	32	4.14	104.81	7.73	A2	0.108	0.0377	1.41	98.36
167	28.2	4.17	105.57	6.76	A2	-0.2381	-0.2634	-1.1	104.4
168	28.3	3.84	97.22	7.36	A2	-0.075	-0.0344	0.31	98.4
169	30.3	4.19	106.08	7.23	A2	0.3131	0.1371	0.51	100.64
170	28.6	4.81	121.77	5.95	A2	0.1058	-0.0883	-1.7	110.69
171	28.2	3.99	101.01	7.07	A2	-0.2535	-0.267	-1.04	102.89
172	31.8	5.18	131.14	6.14	A2	0.6085	0.2921	-0.62	110.71
173	32.6	4.78	121.01	6.81	A2	0.7297	0.4622	1.52	103.04
174	27.6	4.3	108.86	6.42	A2	0.0595	-0.0522	-1.12	105.5
175	28.4	3.31	83.8	8.57	A2	-0.0507	-0.0688	-0.84	97.21

2024 MBT Detailed Efficiency

Lot #	DMI	ADG	ADG Ratio	GS FCR	GS Subgroup	DMlepd	RFlepd	RFI	EFF Ratio
176	24.5	3.51	89.77	6.99	A3	0.1742	-0.0238	-3.26	106.23
177	28.4	4.52	114.43	6.29	A2	0.1675	0.0408	-0.46	105.46
178	27.9	3.86	97.72	7.23	A2	0.2976	0.2387	0.57	97.89
179	25.9	3.48	88.1	7.44	A2	-0.075	-0.0399	-1.32	100
180	26.7	4.94	125.06	5.4	A2	-0.3616	-0.4056	-4.7	119.84
181	28.6	3.7	93.67	7.72	A2	0.0507	0.0334	2.14	92.85
182	29.7	4.54	114.94	6.54	A2	0.1323	0.0374	-0.49	105.64
183	26	4.3	108.86	6.03	A2	0.0595	0.0228	-1.5	106.7
184	26.6	3.79	95.95	7.02	A2	0.2271	0.278	-2.01	104.07
185	25.5	5.2	131.65	4.9	A2	0.2623	0.1495	-4.67	122.33
186	33	5.73	145.06	5.76	A2	0.6041	0.3711	0.49	112.48
188	29.1	4.56	115.44	6.38	A2	0	-0.038	-0.77	106.49
189	28.5	3.62	91.65	7.88	A2	0.1918	0.2058	2.31	91.82
190	27.3	3.11	78.73	8.77	A2	-0.011	-0.0468	0.09	93.39
200	28.9	4.48	122	6.45	G2A1	0.5026	0.3421	-0.84	109
201	31	4.23	115	7.33	G2A1	0.28	0.1174	0.07	104
203	25.4	3.55	97	7.17	G2A1	-0.1455	-0.1485	-2.14	105
204	28.4	3.84	105	7.41	G2A1	0.0154	-0.0132	-0.9	104
207	29.1	4.21	115	6.9	G2A1	0.1279	0.0327	-0.97	107
208	31.3	4.87	133	6.43	G2A1	0.5688	0.3368	-0.55	111
209	29.9	4.81	131	6.22	G2A1	0.1852	0.0542	-1.34	112
210	27.4	4.67	127	5.87	G2A1	0.2249	0.1034	-2.05	113
211	25.5	2.84	77	8.98	G2A1	-0.1786	-0.099	-1.39	97
213	28	3.28	89	8.55	G2A1	0.1477	0.1387	0.84	95
214	26.2	3.95	108	6.64	G2A1	0.1543	0.1228	-1.92	107
216	28.2	3.46	94	8.14	G2A1	0.2227	0.2273	0.02	98
219	27.2	3.86	105	7.05	G2A1	-0.1786	-0.2263	-3.17	110
221	24	4.12	107	5.82	G2A2	-0.0419	-0.1538	-3.09	111
222	26.8	3.75	97	7.15	G2A2	0.2161	0.102	-0.86	101
223	23.3	2.49	65	9.36	G2A2	-0.1984	-0.118	-0.6	91
224	25.9	3.11	81	8.33	G2A2	0.0794	0.1235	0.2	94
225	26.9	3.81	99	7.07	G2A2	0.5467	0.4933	1.43	96
229	26	3.95	108	6.59	G2A1	-0.2006	-0.2083	-0.55	104
230	33.4	5.42	148	6.16	G2A1	0.5181	0.3441	1.1	112
231	28.3	4.08	106	6.94	G2A2	-0.3726	-0.2984	0.82	100
233	27.5	4.54	118	6.05	G2A2	0.2337	0.1213	1.37	102
234	29.7	4.43	115	6.7	G2A2	0.0022	-0.1315	1.85	100
238	25	3.84	105	6.51	G2A1	0.0639	-0.0003	-1.23	105
239	32	3.68	100	8.69	G2A1	0.4145	0.2972	3.64	92
240	22.9	3.68	100	6.22	G2A1	-0.1235	-0.138	-2.49	108
241	24.2	3.68	100	6.57	G2A1	-0.194	-0.1887	-3.28	110

2024 MBT Detailed Efficiency

Lot #	DMI	ADG	ADG Ratio	GS FCR	GS Subgroup	DMlepd	RFlepd	RFI	EFF Ratio
242	27	3.13	85	8.61	G2A1	-0.022	0.0292	-0.18	96
243	27.5	3.92	107	7.01	G2A1	0.2425	0.071	-1.08	105
244	29.3	3.44	94	8.53	G2A1	0.2954	0.2465	-0.13	98
245	25.4	3.42	93	7.41	G2A1	0.2271	0.1728	-1.68	103
246	28.6	3.35	91	8.55	G2A1	-0.0265	-0.0341	-0.46	99
247	26.9	3.26	89	8.26	G2A1	0.2205	0.1922	0.49	95
248	24.4	2.84	77	8.58	G2A1	-0.4938	-0.4422	-0.75	95
250	32.4	3.66	100	8.86	G2A1	0.4123	0.2855	2.03	96
251	29.4	3.97	108	7.41	G2A1	0.2646	0.1208	0.29	102
252	26.5	3.64	99	7.27	G2A1	-0.1962	-0.1429	-0.99	102
253	30	4.52	123	6.64	G2A1	0.1036	0.0123	-1.76	111
257	30.7	4.45	121	6.91	G2A1	0.5004	0.3889	1.98	102
258	29	3.86	105	7.5	G2A1	0.1609	0.066	0.57	100
259	26.8	4.08	111	6.56	G2A1	-0.4101	-0.354	-3.75	113
260	29.9	4.17	114	7.16	G2A1	-0.0705	-0.0811	-0.57	105
261	27.9	2.47	67	11.31	G2A1	-0.1257	0.0535	1.04	88
262	23.5	3.73	97	6.29	G2A2	0.075	0.0645	-1.17	102
263	24.5	4.14	107	5.91	G2A2	0.1896	0.0114	-0.93	105
265	23.3	3.2	83	7.29	G2A2	0.0705	0.1343	1.17	91
267	29.3	3.59	98	8.17	G2A1	0.2359	0.1543	1.65	95
268	26.2	3.22	88	8.12	G2A1	0.1235	0.0881	-0.15	97
270	26.9	3.17	86	8.49	G2A1	0.1521	0.1565	0.04	96
271	26.9	2.8	76	9.61	G2A1	-0.0463	-0.0497	0.68	91
272	28.9	4.37	119	6.61	G2A1	-0.0066	-0.1564	-0.15	106
274	32	3.22	88	9.94	G2A1	0.3682	0.3797	4.41	87
275	26.5	3.22	88	8.22	G2A1	-0.0661	-0.1605	-1.19	99
276	30.2	4.32	118	6.99	G2A1	0.496	0.347	0.84	103
277	27.2	4.78	130	5.69	G2A1	0.1146	0.0469	-1.23	112
278	32.2	5.18	141	6.22	G2A1	0.4696	0.3784	2.56	107
279	25.4	3.46	94	7.35	G2A1	0.1433	0.2072	-0.29	99
281	22.3	2.82	73	7.92	G2A2	-0.0661	-0.0318	-1.21	96
282	28.2	3.9	101	7.23	G2A2	0.4475	0.3084	0.99	98
283	27.3	3.11	85	8.76	G2A1	0.0683	0.1363	-0.6	97
284	26.1	2.54	69	10.28	G2A1	-0.0331	0.0764	1.5	87
285	26.1	3.55	97	7.35	G2A1	0.1411	0.109	0.68	97
286	23.5	3.7	101	6.35	G2A1	-0.1323	-0.0897	-1.94	106
287	30.2	3.79	103	7.98	G2A1	0.2028	0.2141	0.4	100
292	30.2	3.68	100	8.2	G2A1	0.5401	0.4576	2.27	95
295	25.7	3.77	103	6.82	G2A1	0.2425	0.13	-0.44	102
297	28.9	4.43	121	6.53	G2A1	0.1675	-0.0705	-0.66	108
298	29.2	3.48	95	8.39	G2A1	0.2227	0.216	3.7	90

2024 MBT Detailed Efficiency

Lot #	DMI	ADG	ADG Ratio	GS FCR	GS Subgroup	DMlepd	RFlepd	RFI	EFF Ratio
300	25.7	4.7	122	5.46	G2A2	0.3968	0.1434	-2.25	113
302	22.8	3.59	93	6.35	G2A2	0.0816	0.0123	-0.71	100
303	25	4.25	110	5.88	G2A2	0.1631	0.036	-0.77	105
304	24.5	3.28	85	7.48	G2A2	0.3593	0.2291	-1.15	99
305	24.9	3.55	92	7.01	G2A2	0.1587	0.12	-0.44	99
309	26.8	3.99	103	6.72	G2A2	0.2469	0.1555	0.9	99
310	26.6	4.25	110	6.26	G2A2	0.1852	0.0422	-0.9	105
313	26.9	3.48	90	7.73	G2A2	0.1345	0.1867	0.73	95
315	24.2	4.54	118	5.34	G2A2	-0.0529	-0.0919	-3.9	117
316	28	4.56	118	6.14	G2A2	0.097	-0.0507	-0.4	106
317	26.3	3.24	84	8.1	G2A2	0.0419	0.136	1.08	92
318	24.2	3.22	83	7.5	G2A2	0.119	0.0215	-0.26	96
319	25.1	4.59	119	5.47	G2A2	0.0705	-0.0003	-2.91	114
320	26.2	4.17	108	6.29	G2A2	0.0816	0.0503	-1.54	107
321	30.5	4.78	124	6.37	G2A2	0.5247	0.3761	1.72	103
323	24.5	3.95	102	6.21	G2A2	-0.571	-0.5557	-1.57	105
324	25.7	2.87	74	8.97	G2A2	0.1102	0.2574	1.26	89
325	26.5	4.48	116	5.91	G2A2	0.302	0.2299	-1.12	108
326	32.7	4.78	130	6.84	G2A1	0.2623	0.0796	2.65	103
327	28.4	4.08	111	6.97	G2A1	-0.1323	-0.0904	0.31	103
330	25.2	3.31	86	7.63	G2A2	0.4453	0.3681	0.24	95
331	31.3	4.61	126	6.8	G2A1	0.3307	0.3002	3.04	101
332	30	3.99	109	7.52	G2A1	0.1279	0.1688	1.17	100
334	25.6	4.17	108	6.15	G2A2	0.0507	0.1075	-1.83	107
335	27	5	130	5.4	G2A2	0.2535	0.15	-2.09	114
336	22.2	3.28	85	6.77	G2A2	-0.0705	0.1103	-1.34	100
337	26.9	4.81	125	5.59	G2A2	0.3417	0.1527	-2.62	114
338	23.9	3.62	94	6.61	G2A2	0.1918	0.2277	-0.79	100
339	26.4	5.64	146	4.68	G2A2	0.1521	-0.0772	-4.45	126
340	22.7	3.68	95	6.16	G2A2	0.0595	0.1493	-1.1	102
341	22.8	3.77	98	6.06	G2A2	0.1058	0.1798	-1.57	104
343	22.6	3.64	94	6.22	G2A2	0	0.0911	-1.83	104
352	27.6	3	82	9.21	G2A1	-0.0992	-0.0959	-1.5	98
353	29.1	3.33	91	8.73	G2A1	-0.0639	-0.0874	-0.71	99
354	31.8	4.41	120	7.21	G2A1	0.1653	0.0425	0.86	104
356	29.2	3.31	90	8.81	G2A1	0.1786	0.1564	0.86	95
357	28.9	5.36	146	5.4	G2A1	0.0683	-0.2023	-3.35	122
358	27.4	3.42	93	8	G2A1	0.1323	0.0361	-1.23	101
360	29.1	3.24	88	8.98	G2A1	0.0882	0.1161	0.13	96
362	25	2.27	62	11	G2A1	-0.2447	-0.0645	-2.27	95
364	25.3	3.84	99	6.6	G2A2	0.2998	0.2459	-0.77	102

2024 MBT Detailed Efficiency

Lot #	DMI	ADG	ADG Ratio	GS FCR	GS Subgroup	DMlepd	RFlepd	RFI	EFF Ratio
365	26.6	4.1	106	6.5	G2A2	0.183	0.0926	-1.59	106
366	27.5	4.12	107	6.68	G2A2	0.0419	0.0388	-0.4	103
367	26.8	3.48	90	7.71	G2A2	0.0794	0.148	0.13	97
369	24.3	3.99	103	6.1	G2A2	-0.194	-0.1302	-3.17	110
370	25	4.03	104	6.2	G2A2	0.2006	0.1291	-1.48	105
371	30.6	4.37	119	7.01	G2A1	0.1477	0.0717	1.46	102
372	27.4	3.26	89	8.41	G2A1	-0.1477	-0.1861	1.17	94
373	28.1	2.43	66	11.58	G2A1	-0.5842	-0.4233	0.37	89
374	28.3	3.99	109	7.1	G2A1	-0.0882	-0.1231	0.31	102
376	31.2	2.71	74	11.53	G2A1	-0.0375	0.0241	1.54	89
377	27.6	4.85	132	5.69	G2A1	0.0904	-0.0328	-1.83	114
378	30.6	3.62	99	8.45	G2A1	0.3219	0.3005	2.34	94
379	25.3	4.25	116	5.96	G2A1	-0.1918	-0.2105	-3.68	115
380	32.4	3.64	99	8.89	G2A1	0.4123	0.3677	3.66	92
381	30.5	4.45	121	6.85	G2A1	0.5026	0.4201	1.01	104
382	29.7	4.19	114	7.09	G2A1	0.0066	-0.1235	0.07	104
384	32.7	3.84	105	8.5	G2A1	0.4211	0.3551	3.66	94
385	23.6	4.03	110	5.86	G2A1	-0.1323	-0.1917	-2.84	111
386	24.4	3.48	95	7.01	G2A1	-0.0926	-0.1216	-1.1	102
387	26.8	3.48	95	7.7	G2A1	-0.1675	-0.1869	-0.26	99
388	32.3	4.39	120	7.36	G2A1	0.4784	0.257	2.03	101
389	24.4	3.31	90	7.37	G2A1	0.0904	-0.0227	-1.04	100
390	31.1	3.66	100	8.49	G2A1	0.3439	0.2975	3.06	93
391	24.9	2.56	70	9.73	G2A1	0.0882	0.0315	-0.37	92
393	26.8	3.48	95	7.71	G2A1	0.1852	0.0499	-1.46	102
394	29.7	3.95	102	7.52	G2A2	0.3483	0.2417	1.7	97
396	27.7	3.46	90	8	G2A2	0.2381	0.1011	1.72	93
398	30.1	4.41	114	6.82	G2A2	-0.0772	-0.0674	1.96	100
399	24.7	3.64	94	6.77	G2A2	0.0926	0.066	0.55	97
405	25	4.19	109	5.97	G2A2	0.3726	0.2428	-0.77	105
406	25.1	4.81	125	5.22	G2A2	0.3153	0.1123	-3.48	117
407	27.2	4.52	117	6.02	G2A2	0.3351	0.1801	-1.74	110
413	30.7	4.48	116	6.85	G2A2	0.1455	0.0289	2.29	100
414	28.4	3.55	92	7.99	G2A2	0.2513	0.2915	2.71	91
415	26.3	3.7	96	7.11	G2A2	0.0265	-0.0308	0.77	97
416	24.2	3.11	81	7.79	G2A2	0.0309	0.0285	1.9	89
417	25.7	3.57	92	7.19	G2A2	0.1521	0.1087	1.57	93
419	25.9	3.95	102	6.56	G2A2	0.0154	-0.031	1.04	98
421	26.7	3.4	88	7.84	G2A2	0.1521	0.1622	3.24	88
422	24.9	4.19	109	5.94	G2A2	0	-0.1194	-0.86	105
423	24.3	2.45	63	9.93	G2A2	0.2072	0.2109	2.25	83

2024 MBT Detailed Efficiency

Lot #	DMI	ADG	ADG Ratio	GS FCR	GS Subgroup	DMlepd	RFlepd	RFI	EFF Ratio
426	31.1	4.61	119	6.74	G2A2	0.377	0.2062	2.6	100
427	29.5	4.34	112	6.81	G2A2	0.496	0.406	2.93	97
428	27.8	3.53	91	7.87	G2A2	0.1367	0.2411	2.07	92
429	27.6	4.08	106	6.77	G2A2	0.3968	0.3309	0.84	100
430	27.7	4.74	123	5.85	G2A2	-0.0485	-0.0879	-0.6	108
431	34.8	4.17	108	8.34	G2A2	0.5556	0.3316	7.39	88
432	26	4.23	110	6.15	G2A2	0.0816	-0.082	-1.39	107
434	29.9	4.23	110	7.07	G2A2	0.086	-0.0492	1.28	100
436	26.5	4.41	114	6.01	G2A2	0.0309	-0.0575	1.1	101
437	24.8	2.58	67	9.61	G2A2	0.3285	0.1482	2.29	84
439	29.9	4.61	119	6.48	G2A2	0.4916	0.3742	0.77	104
440	26.7	4.12	107	6.48	G2A2	0.2734	0.2359	1.37	98
441	30.6	5.11	132	6	G2A2	0.2006	0.0898	2.45	104
442	26.5	4.14	107	6.4	G2A2	-0.4343	-0.3811	-0.22	103
443	29.3	4.83	125	6.07	G2A2	-0.0287	-0.076	0.26	107
444	28.8	4.72	122	6.1	G2A2	0.0507	0.0274	0.77	105
446	28.3	4.41	114	6.42	G2A2	-0.075	-0.0918	1.3	101
450	30.6	4.7	128	6.51	G2A1	0.0772	-0.0061	-0.55	110
451	28.3	4.17	114	6.78	G2A1	0.0882	0.0961	-1.26	107
452	28.3	4.39	120	6.44	G2A1	0.1852	0.1832	0.46	105
453	26.6	3.86	105	6.9	G2A1	0.011	0.0793	-0.24	102
454	26.9	4.28	117	6.29	G2A1	0.0639	0.0571	-0.44	106
455	27.8	4.01	104	6.94	G2A2	0.0176	0.0988	2.25	96
456	29.3	4.85	126	6.03	G2A2	0.1257	0.107	1.19	105
457	30.3	5.25	136	5.77	G2A2	0.1389	0.0597	0.13	111
458	29.9	4.03	104	7.41	G2A2	0.0066	0.1103	3.46	93
460	29	4.34	112	6.69	G2A2	-0.011	0.028	1.43	100
461	33.9	4.81	125	7.04	G2A2	0.4167	0.3624	5.11	97
462	29.2	5.2	135	5.61	G2A2	0.0419	-0.0616	0.44	109
463	26	4.56	118	5.7	G2A2	-0.183	-0.199	-1.3	109
464	28.8	3.99	103	7.22	G2A2	0.3108	0.3368	2.8	94
466	27.5	4.14	113	6.63	G2A1	0.0265	-0.0208	-0.29	105
467	33.1	3.88	106	8.53	G2A1	0.4299	0.3013	4.03	93
469	28.1	3.92	102	7.16	G2A2	0.3131	0.2428	1.79	96
471	29	3.9	106	7.43	G2A1	0.1102	0.0677	1.54	98
472	28.4	4.17	114	6.82	G2A1	0.1477	0.0982	0.62	103
473	31	3.77	103	8.21	G2A1	0.0617	-0.0043	2.89	94
474	28.4	4.3	117	6.6	G2A1	0.1852	0.1008	1.76	101
477	28.3	3.59	93	7.87	G2A2	0.3263	0.2767	3.55	89
550	23.4	3	87	7.81	G2RA/HE	0.0088	0.0039	1.96	90
600	28	2.71	79	10.35	G2RA/HE	0.4608	0.445	4.48	82

2024 MBT Detailed Efficiency

Lot #	DMI	ADG	ADG Ratio	GS FCR	GS Subgroup	DMlepd	RFlepd	RFI	EFF Ratio
601	21.2	3.11	90	6.82	G2RA/HE	-0.388	-0.3435	-3.84	110
602	26.3	3.57	104	7.37	G2RA/HE	0.075	-0.0533	-1.87	106
603	24.5	3.88	113	6.31	G2RA/HE	0.0926	0.0506	0.66	102
604	27.5	4.03	117	6.82	G2RA/HE	0.2866	0.215	1.92	100
606	22	3.62	105	6.08	G2RA/HE	0.0948	0.0815	-0.24	102
607	23.4	3.53	103	6.64	G2RA/HE	0.2205	0.1244	0.99	98
608	22.4	2.93	85	7.66	G2RA/HE	0.1698	0.1534	1.57	91
610	24.4	3.86	112	6.33	G2RA/HE	0.2315	0.1182	-0.07	104
611	26	3.62	105	7.17	G2RA/HE	-0.1698	-0.1616	-0.18	102
612	25.4	3.53	103	7.2	G2RA/HE	-0.399	-0.3279	0.11	100
613	27	4.14	120	6.52	G2RA/HE	-0.0794	-0.1753	0.22	106
614	26.1	4.3	125	6.06	G2RA/HE	-0.011	-0.0866	-0.22	108
615	27.6	3.09	90	8.94	G2RA/HE	0.1213	0.2302	4.43	86
654	21.8	3.37	114	6.46	G251b	-0.022	-0.0341	-0.53	106
655	21.2	2.98	101	7.12	G251b	-0.0066	-0.0054	-0.37	101
657	22.5	1.54	45	14.58	G251a	-0.1852	0.0023	0.4	82
658	22.1	2.95	85	7.49	G251a	-0.0683	-0.0601	-1.23	99
659	22.9	2.82	82	8.12	G251a	-0.1455	-0.0529	-1.1	98
660	23.6	3.11	90	7.59	G251a	-0.0948	-0.0908	-1.41	101
661	25.6	4.23	122	6.06	G251a	0.1411	0.0661	-0.6	108
662	28.2	4.06	117	6.95	G251a	0.3439	0.2263	1.83	101
663	23.9	3.24	94	7.36	G251a	0.1213	0.0616	-0.04	98
664	24.1	1.26	36	19.13	G251a	-0.1742	0.0275	2.38	74
665	24.3	3.22	93	7.54	G251a	-0.2646	-0.1834	-1.46	102
666	23.8	3.15	91	7.55	G251a	-0.377	-0.2646	-1.41	101
667	20.2	2.62	76	7.71	G251a	-0.4541	-0.3373	-3.33	104
668	26	4.14	120	6.29	G251a	-0.1168	-0.1213	-1.19	109
669	23.4	4.28	124	5.47	G251a	-0.0816	-0.1488	-1.98	113
670	27.8	3.79	110	7.35	G251a	0.2756	0.2349	1.43	99
671	29	4.01	116	7.22	G251a	-0.1102	-0.0425	1.28	102
672	26.7	4.67	135	5.73	G251a	0.194	0.0444	-0.62	112
673	25.5	3.7	107	6.9	G251a	0.2469	0.2101	0.42	101
674	20	3.06	103	6.55	G251b	-0.0926	-0.0714	-0.46	103
676	19.9	3.15	106	6.31	G251b	0.0529	0.0208	0.22	101
677	21.6	3.22	109	6.71	G251b	0.1235	0.0997	1.21	99
800	33	4.37	111.76	7.55	FB	0.1367	-0.0053	-0.53	104.65
801	31.6	4.1	104.86	7.7	FB	0.0683	0.0024	-0.02	101.5
802	34.1	3.97	101.53	8.58	FB	0.1896	0.0669	1.01	98.38
805	26.1	3.35	94	7.79	G2SD1	0.0617	0.038	0.42	97
806	22.6	2.67	75	8.45	G2SD1	0.011	-0.0023	-0.22	93
807	22.4	3.15	96	7.1	G2SD2	-0.172	-0.1109	-0.71	101

2024 MBT Detailed Efficiency

Lot #	DMI	ADG	ADG Ratio	GS FCR	GS Subgroup	DMlepd	RFlepd	RFI	EFF Ratio
808	22.3	3.26	99	6.83	G2SD2	-0.1257	-0.1077	-0.46	101
809	24.9	3.46	105	7.19	G2SD2	0.1565	0.114	0.62	100
810	22.9	2.76	84	8.28	G2SD2	0.0772	0.1123	1.17	92
811	23	2.87	87	8.01	G2SD2	-0.1609	-0.1119	0.37	95
813	21.9	2.91	88	7.53	G2SD2	-0.0992	-0.0645	0.2	96
814	22.6	3.42	104	6.6	G2SD2	-0.086	-0.0788	-0.35	102
815	22.5	2.62	80	8.57	G2SD2	-0.1036	-0.0326	-0.6	96
816	23.1	3.77	115	6.14	G2SD2	-0.0154	-0.0363	0.02	104
817	25	4.34	132	5.76	G2SD2	0.172	0.1105	0.4	108
819	23.4	2.84	86	8.24	G2SD2	-0.0838	-0.0372	0.53	94
820	25.7	4.37	123	5.87	G2SD1	0.0132	0.0331	-0.46	108
822	27	4.23	129	6.38	G2SD2	0.2888	0.1824	1.72	104
824	23.5	3.53	107	6.65	G2SD2	0.0154	-0.0026	0.33	101
826	23.1	3.44	105	6.7	G2SD2	0.1301	0.0761	0.62	99
827	23.9	4.34	122	5.5	G2SD1	0.2866	0.1392	0.31	106
850	32.9	4.63	118.41	7.1	FB	-0.011	-0.1066	0.35	104.78
852	29.6	4.14	105.88	7.15	FB	-0.022	-0.0382	-0.49	102.92
853	29.4	3.86	98.72	7.62	FB	0.0331	0.063	0.88	97.52
854	26.7	3.11	79.54	8.57	FB	-0.593	-0.4085	-1.74	98.43
855	26.5	3.73	108	7.1	G251a	0.1345	0.1254	1.23	99
856	25.6	3.44	99	7.43	G251a	-0.2623	-0.2099	0.2	99
857	27	3.57	103	7.56	G251a	-0.1499	-0.1141	1.41	97
858	25.1	3.62	105	6.93	G251a	-0.2888	-0.2325	-0.62	103
859	24	3.17	92	7.58	G251a	-0.1764	-0.1266	-0.44	99
860	23.7	4.01	116	5.91	G251a	0.1279	0.0043	-0.46	106
863	26.2	3.99	115	6.57	G251a	0.1543	0.0937	1.81	100
864	25.5	3.28	95	7.76	G251a	-0.1543	-0.0633	1.04	96
865	28	4.65	134	6.01	G251a	-0.0595	-0.0413	0.68	109
875	34.3	4.03	103.07	8.51	FB	-0.1587	-0.2051	-1.72	104.43
876	34.2	3.53	90.28	9.69	FB	-0.1146	-0.0743	0.73	95.59
877	34.4	3.37	86.19	10.19	FB	-0.1036	-0.0753	1.52	92.76
878	23.2	3.53	102	6.56	G251a	-0.0353	-0.0412	0.26	100
879	22.5	2.71	78	8.31	G251a	0.0397	0.0479	-0.6	95
880	26.1	3.84	111	6.79	G251a	0.1411	0.0219	-0.33	104
881	27.5	3.7	107	7.42	G251a	0.2315	0.1772	0.97	100